

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"20040042435".pn. average	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/09/26 15:11
L2	2675	709/225.ccls. (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/09/26 15:11
L3	26	"802.11" ("enhanced distributed coordination function" OR EDCF) window (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/09/26 15:13
L4	3	"802.11" ("enhanced distributed coordination function" OR EDCF) window average WITH (wait or time) (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/09/26 15:13
L5	2	"802.11" ("enhanced distributed coordination function" OR EDCF) window average WITH (wait or time) @ad<"20030317"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/09/26 15:14
S1	2310	709/225.ccls. (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:15
S2	4075	(backoff OR "back-off") (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 15:01
S3	163	(backoff OR "back-off") adj interval (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:15
S4	7790	"802.11" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S5	2661	"802.11" interval (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 16:53
S6	553	"802.11" interval (contend or contention) (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 16:53
S7	267	"802.11" interval (contend or contention) back\$1off (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 16:58

S8	207	"802.11" "distributed coordination function" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 16:58
S9	14	"802.11" "enhanced distributed coordination function" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 17:25
S10	3	"802.11" "enhanced distributed coordination function" average (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 17:26
S11	0	"802.11" "enhanced distributed coordination function" average "power down" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S12	0	"802.11" "enhanced distributed coordination function" "power down" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S13	0	"802.11" "enhanced distributed coordination function" power adj receiver (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S14	7	"802.11" "enhanced distributed coordination function" power (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 18:06
S15	37158	"802.11" "enhanced distributed coordination function" (power WITH (preserve or save)) or sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S16	37158	"802.11" "enhanced distributed coordination function" (power WITH (preserve or save)) OR sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 18:06
S17	37157	"802.11" "enhanced distributed coordination function" receiver (power WITH (preserve or save)) OR sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S18	5	"802.11" "enhanced distributed coordination function" (power WITH (save or preserve or down)) (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 18:07
S19	37158	"802.11" "enhanced distributed coordination function" (power WITH (save or preserve or down)) OR sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 18:07

S20	5	"802.11" "enhanced distributed coordination function" ((power WITH (save or preserve or down)) OR sleep) (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/04 18:07
S21	2460	709/225.ccls. (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:15
S22	8414	"802.11" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S23	0	"802.11" "enhanced distributed coordination function" average "power down" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S24	0	"802.11" "enhanced distributed coordination function" power adj receiver (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S25	0	"802.11" "enhanced distributed coordination function" "power down" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S26	0	"802.11" "enhanced distributed coordination function" power adj receiver (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S27	38235	"802.11" "enhanced distributed coordination function" receiver (power WITH (preserve or save)) OR sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S28	175	(backoff OR "back-off") adj interval (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S29	38237	"802.11" "enhanced distributed coordination function" (power WITH (preserve or save)) or sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/10/26 10:16
S30	2535	709/225.ccls. (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S31	4362	(backoff OR "back-off") (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S32	186	(backoff OR "back-off") adj interval (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14

S33	8850	"802.11" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S34	3094	"802.11" interval (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S35	630	"802.11" interval (contend or contention) (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S36	312	"802.11" interval (contend or contention) back\$1off (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S37	254	"802.11" "distributed coordination function" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S38	17	"802.11" "enhanced distributed coordination function" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S39	3	"802.11" "enhanced distributed coordination function" average (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S40	0	"802.11" "enhanced distributed coordination function" average "power down" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S41	0	"802.11" "enhanced distributed coordination function" "power down" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S42	0	"802.11" "enhanced distributed coordination function" power adj receiver (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S43	9	"802.11" "enhanced distributed coordination function" power (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S44	38950	"802.11" "enhanced distributed coordination function" (power WITH (preserve or save)) or sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S45	38950	"802.11" "enhanced distributed coordination function" (power WITH (preserve or save)) OR sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14

S46	38947	"802.11" "enhanced distributed coordination function" receiver (power WITH (preserve or save)) OR sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S47	7	"802.11" "enhanced distributed coordination function" (power WITH (save or preserve or down)) (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S48	38950	"802.11" "enhanced distributed coordination function" (power WITH (save or preserve or down)) OR sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S49	7	"802.11" "enhanced distributed coordination function" ((power WITH (save or preserve or down)) OR sleep) (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S50	2535	709/225.ccls. (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S51	8850	"802.11" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S52	0	"802.11" "enhanced distributed coordination function" average "power down" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S53	0	"802.11" "enhanced distributed coordination function" power adj receiver (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S54	0	"802.11" "enhanced distributed coordination function" "power down" (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S55	0	"802.11" "enhanced distributed coordination function" power adj receiver (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S56	38947	"802.11" "enhanced distributed coordination function" receiver (power WITH (preserve or save)) OR sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
S57	186	(backoff OR "back-off") adj interval (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14

S58	38950	"802.11" "enhanced distributed coordination function" (power WITH (preserve or save)) or sleep (@ad<"20030317" OR @rlad<"20030317")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/03/01 14:14
-----	-------	---	--------------------------------------	-----	----	------------------

9/26/08 3:53:04 PM

C:\Documents and Settings\ntaylor5\My Documents\EAST\Workspaces\app10.689018.wsp